



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/896,365	06/29/2001	Frederick Morello	491328-600-006	2229

7590 12/24/2008  
Blaney Harper  
Jones, Day, Reavis & Pogue  
51 Louisiana Ave., N.W.  
Washington, DC 20001

EXAMINER
----------

CHAPMAN, JEANETTE E

ART UNIT	PAPER NUMBER
----------	--------------

3633

MAIL DATE	DELIVERY MODE
-----------	---------------

12/24/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 09/896,365	<b>Applicant(s)</b> MORELLO ET AL.	
	<b>Examiner</b> Jeanette E. Chapman	<b>Art Unit</b> 3633	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 12 September 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,3-12,14,15,17-20 and 28-30 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3-12,14,15,17-20 and 28-30 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                       | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>10/08/08,10/20/08</u>   | 6) <input type="checkbox"/> Other: _____                          |

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 and 31 are rejected under 35 U.S.C. 102(b) as being anticipated by Claim 1.

Knudson (figure 13) discloses a building panel, comprising:

(a) a curved central portion, between 26 and 27, having transverse corrugations 57 therein;

(b) a pair of side wall portions 26 and 27 extending from opposite ends of said curved central portion, said curved central portion being concave-shaped from a perspective between said side wall portions, figure 13 wherein said sidewall portions comprise straight portions that extend tangentially from the concave-shaped curved central portion; and

(c) a pair of complementary wing portions 31/32 extending from said side wall portions.

CLAIM 31. Knudson discloses the building panel of Claim 1, wherein the building panel is curved in a longitudinal direction as shown in figure 13.

***Claim Rejections - 35 USC § 103***

Art Unit: 3633

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 1, 3-12, 14-15, 17-20, 28-30, 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Knudson in view of Lacasse

Lacasse discloses a building panel (see figure 9 ), comprising:

- (a) a curved central portion 330 having transverse corrugations therein; however,
- (b) a pair of side wall portions 328 extending from opposite ends of said curved central portion, said curved central portion being concave-shaped from a perspective between said side wall portions, wherein said sidewall portions comprise straight portions that extend tangentially from the concave-shaped curved central portion; and
- (c) a pair of complementary wing portions 329 extending from said side wall portions.

Lacasse discloses a building structure wherein said central portion is without a longitudinal stiffening notch; see figure 9

claim 3.

Lacasse discloses wherein said curved central portion comprises an arc . it would have been obvious to modify Knudson to include the arc central portion to construct a central portion that is easier and more common to fashion.

claim 12.

Knudson and Lacasse discloses a building panel wherein said side wall portions extend at an incline from said opposite ends of said curved central portion.

Art Unit: 3633

claim 4.

Knudson discloses the building panel of Claim 3, wherein said arc ranges from 15° to 130°, specifically 55-60 degrees.

claim 5.

Knudson discloses the building panel of Claim 3, wherein said arc ranges from 40° to 130°, specifically 55-60 degrees; alternatively,

claims 4-7

In column 8, the second table discloses angles between 15 and 130 degrees. The arc angles has been considered a matter of choice. One of ordinary skill in the art would have appreciated an arc angle commensurate with the intended design and function of the panel

claims 8-11

adding up all the radii shown in the tables of column 7 and columns 10-11 the arc has a radius ranging from 4 inches to 25 inches. The arc radius has been considered a matter of choice. One of ordinary skill in the art would have appreciated an arc radius commensurate with the intended design and function of the panel

Claims 14-15, 17, 20, 28

Knudson discloses a building panel comprising:

(a) a curved central portion 25 having transverse corrugation therein; Karoubas discloses corrugations extending in both directions transverse and coextensive; one's reference point determines the transverse and coextensive direction. It would have been obvious to include one, either or both directions for the corrugations in order to

Art Unit: 3633

improve stiffening or buckling of the building panel

(b) a pair of side wall portions 26,27 extending from opposite ends of said curved central portion, said curved central portion being concave-shaped from a perspective between said side wall portions, wherein said sidewall portions comprise straight portions that extend tangentially from the concave-shaped curved central portion; wherein said side wall portions extend at an incline from said opposite ends of said curved central portion.

(c) a pair of complementary wing portions 28,29 extending from said side wall portions. One of said wing portions comprises a hook portion 32 and the other of said wing portions comprises a hem portion 31. alternatively stated a pair of wing portions extending from said side wall portions, wherein one wing portion extends from a first of said side wall portions and the other wing portion extends from a second of said side wall portions, wherein said one wing portion from a first of said panels is connected to said other wing portion from a second of said panels. See figures 3-5 of Knudson.

claim 17

Lacasse discloses a building structure wherein said curved central portion comprises an arc.

For claims 18-19

In column 8, the second table discloses angles between 15 and 130 degrees. The arc angles has been considered a matter of choice. One of ordinary skill in the art would have appreciated an arc angle commensurate with the intended design and function of the panel

Art Unit: 3633

By adding up all the radii shown in the tables of column 7 and columns 10-11 the arc has a radius ranging from 4 inches to 25 inches. The arc radius has been considered a matter of choice. One of ordinary skill in the art would have appreciated an arc radius commensurate with the intended design and function of the panel.

Claims 29-30:

Knudson discloses a curved building structure wherein said central portion is without a longitudinal stiffening notch.

Claims 31-32:

Knudson discloses the building panel is curved in a longitudinal direction see figure 13.

Applicant's arguments are moot in view of the new ground of rejection.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chapman E. Jeanette whose telephone number is 571-272-6841. The examiner can normally be reached on Mon.-thursday, 8:30-6:00, every fri. off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Glessner can be reached on 571-272-6843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3633

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JEANETTE CHAPMAN/  
PRIMARY EXAMINER  
ART UNIT 3633